

12

**REQUEST FOR PUBLIC COMMENTS  
ON DRAFT AIR PERMIT  
REGULATING THE EMISSIONS OF AIR POLLUTANTS**

**(Docket No. 16-CA-PA-12)**

Pursuant to Hawaii Revised Statutes (HRS), Chapter 342B-13 and Hawaii Administrative Rules (HAR), Chapter 11-60.1, the Department of Health, State of Hawaii (DOH), is requesting public comments on the following **DRAFT PERMIT** presently under review for:

**Covered Source Permit (CSP) No. 0737-01-CT**

Application for Permit Renewal No. 0737-04

Maui Asphalt X-IV, LLC

225 TPH Portable Drum Mix Asphalt Plant with 910 HP Diesel Engine

Located at: Various Temporary Sites, State of Hawaii

Initial Location: Puunene Quarry, Puunene, Maui

The **DRAFT PERMIT** is described as follows:

**Covered Source Permit No. 0737-01-CT** will grant conditional approval for the continued operation of the portable drum mix asphalt plant. The drum mix asphalt plant is subject to 40 Code of Federal Regulations (CFR) Part 60, Subpart I, Standards of Performance for Hot Mix Asphalt Facilities and Subpart OOO, Standards of Performance for Nonmetallic Mineral Processing Plants. No equipment or operational changes are proposed for this renewal. This permit, if issued, will supersede CSP No. 0737-01-CT, issued on October 17, 2014, in its entirety.

The **ADMINISTRATIVE RECORD**, consisting of the **APPLICATION** and non-confidential supporting material from the applicant, the permit review summary, and the **DRAFT PERMIT**, is available for public inspection during regular office hours, Monday through Friday, 7:45 a.m. to 4:15 p.m., at the following locations:

**Oahu:**

- Clean Air Branch, Department of Health  
919 Ala Moana Boulevard, Room 203, Honolulu, Oahu 96814

**Maui:**

- Maui District Health Office, Department of Health  
54 High Street, Room 300, Wailuku, Maui, Hawaii

All comments on the draft permit and any request for a public hearing must be in writing, addressed to the Clean Air Branch at the above address and must be postmarked or received by **July 14, 2016**.

Any person may request a public hearing by submitting a written request that explains the party's interest and the reasons why a hearing is warranted. The DOH may hold a public hearing if a hearing would aid in DOH's decision. If a public hearing is warranted, a public notice for the hearing will be published at least thirty (30) days in advance of the hearing.

Interested persons may obtain copies of the administrative record or parts thereof by paying **five (5) cents per page copying costs**. Please send written requests to the Oahu office of the Clean Air Branch listed above or call Mr. Joseph Baumgartner at the Clean Air Branch in Honolulu at (808) 586-4200. Electronic copies of the draft permit and permit review may be found online at <http://health.hawaii.gov/cab/public-notices/>.

Comments on the draft permit should address, but need not be limited to, the permit conditions and the facility's compliance with federal and state air pollution laws, including: (1) the National and State Ambient Air Quality Standards; and (2) HRS, Chapter 342B, and HAR, Chapter 11-60.1.

The DOH will make a final decision on the permit after considering all comments and will send notice of the final decision to each person who has submitted comments or requested such notice.

Virginia Pressler, MD.  
Director of Health